




















































Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
(1)	CATWALK 3A	1	ETC Source4 26deg 575w	HSX SR 1	 R 362 + R 132		
(2)	CATWALK 3A	3	ETC Source4 26deg 575w	HSX SR 2	 R 362 + R 132		
(3)	CATWALK 2B	5	ETC Source4 26deg 575w	HSX SR 3	 R 362 + R 132		
(4)	CATWALK 3A	4	ETC Source4 26deg 575w	HSX SR 4	 R 362 + R 132		
(5)	CATWALK 4B	11	ETC Source4 26deg 575w	HSX SR 5	 R 362 + R 132		
(6)	CATWALK 4B	14	ETC Source4 26deg 575w	HSX SR 6	 R 362 + R 132		
(7)	CATWALK 4B	15	ETC Source4 26deg 575w	HSX SR 7	 R 362 + R 132		
(8)	CATWALK 4B	16	ETC Source4 26deg 575w	HSX SR 8	 R 362 + R 132		
(9)	CATWALK 5B	8	ETC Source4 26deg 575w	HSX SR 9	 R 362 + R 132		
(10)	CATWALK 5B	10	ETC Source4 26deg 575w	HSX SR 10	 R 362 + R 132		
(11)	CATWALK 5B	11	ETC Source4 26deg 575w	HSX SR 11	 R 362 + R 132		
(12)	CATWALK 5B	12	ETC Source4 26deg 575w	HSX SR 12	 R 362 + R 132		
(13)	CATWALK 6B	12	ETC Source4 26deg 575w	HSX SR 13	 R 362 + R 132		
(14)	CATWALK 6B	15	ETC Source4 26deg 575w	HSX SR 14	 R 362 + R 132		
(15)	CATWALK 6B	16	ETC Source4 26deg 575w	HSX SR 15	 R 362 + R 132		
(16)	CATWALK 6B	17	ETC Source4 26deg 575w	HSX SR 16	 R 362 + R 132		
(17)	#2 LX	10	ETC Source4 26deg 575w	HSX SR 17	 R 362 + R 132		


















Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
(18)	#2 LX	12	ETC Source4 26deg 575w	HSX SR 18	 R 362 + R 132		
(19)	#2 LX	13	ETC Source4 26deg 575w	HSX SR 19	 R 362 + R 132		
(20)	#2 LX	14	ETC Source4 26deg 575w	HSX SR 20	 R 362 + R 132		
(21)	CATWALK 3B	1	ETC Source4 26deg 575w	HSX SL 1	 R 362 + R 132		
(22)	CATWALK 3B	2	ETC Source4 26deg 575w	HSX SL 2	 R 362 + R 132		
(23)	CATWALK 3B	3	ETC Source4 26deg 575w	HSX SL 3	 R 362 + R 132		
(24)	CATWALK 3B	5	ETC Source4 26deg 575w	HSX SL 4	 R 362 + R 132	10	
(25)	CATWALK 4B	1	ETC Source4 26deg 575w	HSX SL 5	 R 362 + R 132		
(26)	CATWALK 4B	2	ETC Source4 26deg 575w	HSX SL 6	 R 362 + R 132		
(27)	CATWALK 4B	3	ETC Source4 26deg 575w	HSX SL 7	 R 362 + R 132		
(28)	CATWALK 4B	5	ETC Source4 26deg 575w	HSX SL 8	 R 362 + R 132		
(29)	CATWALK 5B	1	ETC Source4 26deg 575w	HSX SL 9	 R 362 + R 132		
(30)	CATWALK 5B	2	ETC Source4 26deg 575w	HSX SL 10	 R 362 + R 132		
(31)	CATWALK 5B	3	ETC Source4 26deg 575w	HSX SL 11	 R 362 + R 132		
(32)	CATWALK 5B	5	ETC Source4 26deg 575w	HSX SL 12	 R 362 + R 132		
(33)	CATWALK 6B	1	ETC Source4 26deg 575w	HSX SL 13	 R 362 + R 132		
(34)	CATWALK 6B	2	ETC Source4 26deg 575w	HSX SL 14	 R 362 + R 132		

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
(35)	CATWALK 6B	3	ETC Source4 26deg 575w	HSX SL 15	 R 362 + R 132		
(36)	CATWALK 6B	6	ETC Source4 26deg 575w	HSX SL 16	 R 362 + R 132		
(37)	#2 LX	1	ETC Source4 26deg 575w	HSX SL 17	 R 362 + R 132		
(38)	#2 LX	2	ETC Source4 26deg 575w	HSX SL 18	 R 362 + R 132		
(39)	#2 LX	3	ETC Source4 26deg 575w	HSX SL 19	 R 362 + R 132		
(40)	#2 LX	5	ETC Source4 26deg 575w	HSX SL 20	 R 362 + R 132		
(41)	CATWALK 1B	1	ETC Source4 26deg 575w	FRONT 1	 R 65		
(42)	CATWALK 1B	2	ETC Source4 26deg 575w	FRONT 2	 R 65		
(43)	CATWALK 1B	3	ETC Source4 26deg 575w	FRONT 3	 R 65		
(44)	CATWALK 1B	4	ETC Source4 26deg 575w	FRONT 4	 R 65		
(45)	CATWALK 2B	1	ETC Source4 26deg 575w	FRONT 5	 R 65		
(46)	CATWALK 2B	2	ETC Source4 26deg 575w	FRONT 6	 R 65		
(47)	CATWALK 2B	3	ETC Source4 26deg 575w	FRONT 7	 R 65		
(48)	CATWALK 2B	4	ETC Source4 26deg 575w	FRONT 8	 R 65		
(49)	CATWALK 3B	4	ETC Source4 26deg 575w	FRONT 9	 R 65		
(50)	CATWALK 3B	6	ETC Source4 26deg 575w	FRONT 10	 R 65		
(51)	CATWALK 4B	8	ETC Source4 26deg 575w	FRONT 11	 R 65		

















Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
(52)	CATWALK 4B	13	ETC Source4 26deg 575w	FRONT 12	 R 65		
(53)	CATWALK 6B	4	ETC Source4 26deg 575w	FRONT US	 R 65		
(54)	CATWALK 6B	7	ETC Source4 26deg 575w	FRONT US	 R 65		
(55)	CATWALK 6B	10	ETC Source4 26deg 575w	FRONT US	 R 65		
(56)	CATWALK 6B	14	ETC Source4 26deg 575w	FRONT US	 R 65		
(61)	CATWALK 4A	7	ETC Source4 36deg 575w	HSX 2 SR A	 R 05		
(62)	CATWALK 4A	8	ETC Source4 36deg 575w	HSX 2 SR B	 R 05		
(63)	CATWALK 4A	9	ETC Source4 36deg 575w	HSX 2 SR C	 R 05		
(64)	CATWALK 5A	7	ETC Source4 36deg 575w	HSX 2 SR D	 R 05		
(65)	CATWALK 5A	8	ETC Source4 36deg 575w	HSX 2 SR E	 R 05		
(66)	CATWALK 5A	9	ETC Source4 36deg 575w	HSX 2 SR F	 R 05		
(67)	CATWALK 6A	9	ETC Source4 36deg 575w	HSX 2 SR G	 R 05		
(68)	CATWALK 6A	10	ETC Source4 36deg 575w	HSX 2 SR H	 R 05		
(69)	CATWALK 6A	11	ETC Source4 36deg 575w	HSX 2 SR I	 R 05		
(71)	CATWALK 4A	1	ETC Source4 36deg 575w	HSX 2 SL A	 R 05		
(72)	CATWALK 4A	2	ETC Source4 36deg 575w	HSX 2 SL B	 R 05		
(73)	CATWALK 4A	3	ETC Source4 36deg 575w	HSX 2 SL C	 R 05		


















Channel Hookup

9/22/2019


















12O Update 0922.lw6

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
(74)	CATWALK 5A	1	ETC Source4 36deg 575w	HSX 2 SL D	 R 05		
(75)	CATWALK 5A	2	ETC Source4 36deg 575w	HSX 2 SL E	 R 05		
(76)	CATWALK 5A	3	ETC Source4 36deg 575w	HSX 2 SL F	 R 05		
(77)	CATWALK 6A	1	ETC Source4 36deg 575w	HSX 2 SL G	 R 05		
(78)	CATWALK 6A	2	ETC Source4 36deg 575w	HSX 2 SL H	 R 05		
(79)	CATWALK 6A	3	ETC Source4 36deg 575w	HSX 2 SL I	 R 05		
(81)	CATWALK 4B	6	ETC Source4 50deg+Light Acc S4B Template Holder 575w	DOWN 2	 R 360, T: R 77735		
(82)	CATWALK 4B	9	ETC Source4 50deg+Light Acc S4B Template Holder 575w	DOWN 3	 R 360, T: R 77735		
(83)	CATWALK 5B	6	ETC Source4 50deg+Light Acc S4B Template Holder 575w	DOWN 10	 R 360, T: R 77735		
(84)	CATWALK 5B	7	ETC Source4 50deg+Light Acc S4B Template Holder 575w	DOWN 11	 R 360, T: R 77735		
(85)	CATWALK 6B	8	ETC Source4 50deg+Light Acc S4B Template Holder 575w	DOWN 14	 R 360, T: R 77735		
(86)	CATWALK 6B	11	ETC Source4 50deg+Light Acc S4B Template Holder 575w	DOWN 15	 R 360, T: R 77735		
(87)	#2 LX	7	ETC Source4 50deg+Light Acc S4B Template Holder 575w	DOWN 18	 R 360, T: R 77735		
(88)	#3 LX	8	ETC Source4 50deg+Light Acc S4B Template Holder 575w	DOWN O	 R 360, T: R 77735		
(91)	CATWALK 4B	4	ETC CE Source4 PAR MCM (MFL) 575w	DOWN 5	 R 68		
(92)	CATWALK 4B	7	ETC CE Source4 PAR MCM (MFL) 575w	DOWN E	 R 68		




Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
(93)	CATWALK 4B	12	ETC CE Source4 PAR MCM (MFL) 575w	DOWN 8	 R 68		
(94)	CATWALK 5B	4	ETC CE Source4 PAR MCM (MFL) 575w	DOWN 9	 R 68		
(95)	CATWALK 6A	6	ETC CE Source4 PAR MCM (MFL) 575w	DOWN H	 R 68		
(96)	CATWALK 5B	9	ETC CE Source4 PAR MCM (MFL) 575w	DOWN 12	 R 68		
(97)	CATWALK 6B	5	ETC CE Source4 PAR MCM (MFL) 575w	DOWN 13	 R 68		
(98)	CATWALK 6B	9	ETC CE Source4 PAR MCM (MFL) 575w	DOWN K	 R 68		
(99)	CATWALK 6B	13	ETC CE Source4 PAR MCM (MFL) 575w	DOWN 16	 R 68		
(100)	#2 LX	4	ETC CE Source4 PAR MCM (MFL) 575w	DOWN 17	 R 68		
(101)	#2 LX	8	ETC CE Source4 PAR MCM (MFL) 575w	DOWN N	 R 68		
(102)	#2 LX	11	ETC CE Source4 PAR MCM (MFL) 575w	DOWN 20	 R 68		
(111)	CATWALK 5A	4	ETC Source4 26deg 575w	SL AISLE FRONT 22	 R 362 + R 132		
(112)	CATWALK 6A	7	ETC Source4 26deg 575w	SL AISLE FRONT 21	 R 362 + R 132		
(113)	FOH LADDER SL	1	Strand 6" Fresnelite 500w	SL AISLE BACK 21/22	 R 65		
(115)	CATWALK 3A	2	ETC Source4 26deg 575w	SR AISLE FRONT 24	 R 362 + R 132		
(116)	CATWALK 6A	5	ETC Source4 26deg 575w	SR AISLE FRONT 23	 R 362 + R 132		
(117)	FOH LADDER SR	1	Strand 6" Fresnelite 500w	SR AISLE BACK 23/24	 R 65		
(121)	SL PIPE	4	ETC Source4 19deg+Light Acc 6.25in Top Hat 575w	SIDE A	 R 362 + R 132		

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
(122)	SL PIPE	3	ETC Source4 19deg+Light Acc 6.25in Top Hat 575w	SIDE D	 R 362 + R 132		
(123)	SL PIPE	2	ETC Source4 19deg+Light Acc 6.25in Top Hat 575w	SIDE G	 R 362 + R 132		
(124)	SL PIPE	1	ETC Source4 19deg+Light Acc 6.25in Top Hat 575w	SIDE J	 R 362 + R 132		
(125)	SR PIPE	4	ETC Source4 19deg+Light Acc 6.25in Top Hat 575w	SIDE C	 R 362 + R 132		
(126)	SR PIPE	3	ETC Source4 19deg+Light Acc 6.25in Top Hat 575w	SIDE F	 R 362 + R 132		
(127)	SR PIPE	2	ETC Source4 19deg+Light Acc 6.25in Top Hat 575w	SIDE I	 R 362 + R 132		
(128)	SR PIPE	1	ETC Source4 19deg+Light Acc 6.25in Top Hat 575w	SIDE L	 R 362 + R 132		
(131)	FOH PIPE	1	ETC Source4 26deg+Light Acc 6.25in Top Hat 575w	FRONT FILL	 R 362 + R 132		
(132)	FOH PIPE	2	ETC Source4 26deg+Light Acc 6.25in Top Hat 575w	FRONT FILL	 R 362 + R 132		
(133)	FOH PIPE	3	ETC Source4 26deg+Light Acc 6.25in Top Hat 575w	FRONT FILL	 R 362 + R 132		
(134)	FOH PIPE	4	ETC Source4 26deg+Light Acc 6.25in Top Hat 575w	FRONT FILL	 R 362 + R 132		
(141)	#1 LX	1	ETC Source4 36deg 575w	BACK ANGLE 5	 R 34		
(142)	#1 LX	2	ETC Source4 36deg 575w	BACK ANGLE 10	 R 34		
(143)	#1 LX	3	ETC Source4 36deg 575w	BACK ANGLE 15	 R 34		
(145)	#3 LX	12	ETC Source4 36deg 575w	BACK ANGLE 8	 R 77		
(146)	#3 LX	11	ETC Source4 36deg 575w	BACK ANGLE 11	 R 77		
(147)	#3 LX	10	ETC Source4 36deg 575w	BACK ANGLE 14	 R 77		

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
(151)	CATWALK 4A	4	ETC ColorSource PAR Medium Oval 90w	BACK A			
(152)	CATWALK 4B	10	ETC ColorSource PAR Medium Oval 90w	BACK C			
(153)	CATWALK 5A	5	ETC ColorSource PAR Medium Oval 90w	BACK D			
(154)	CATWALK 5A	6	ETC ColorSource PAR Medium Oval 90w	BACK F			
(155)	CATWALK 6A	4	ETC ColorSource PAR Medium Oval 90w	BACK G			
(156)	CATWALK 6A	8	ETC ColorSource PAR Medium Oval 90w	BACK I			
(157)	#2 LX	6	ETC ColorSource PAR Medium Oval 90w	BACK J			
(158)	#2 LX	9	ETC ColorSource PAR Medium Oval 90w	BACK L			
(159)	#3 LX	9	ETC ColorSource PAR Medium Oval 90w	BACK O			
(160)	#3 LX	1	ETC ColorSource PAR Wide Oval 90w	BACK M			
(161)	#3 LX	2	Altman PAR 64 MFL 1kW	Moon Red	 R 26 + R 119		
	"	5	"	"	"		
(162)	#3 LX	3	Altman PAR 64 MFL 1kW	Moon Green	 R 91 + R 119		
	"	6	"	"	"		
(163)	#3 LX	4	Altman PAR 64 MFL 1kW	Moon Blue	 R 80 + R 119		
	"	7	"	"	"		
(200)	MOON		15ft LED Tape	Moon			
(201)	MOON		LED Neon	Moon Outer Edge			
(202)	MOON		LED Neon	Moon Inner Edge			



Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
(211)	DECK		LED Tape	EDGE A			
(212)	DECK		LED Tape	EDGE B			
(213)	DECK		LED Tape	EDGE C			
(214)	DECK		LED Tape	EDGE D			
(215)	DECK		LED Tape	EDGE E			
(221)	CREEK		LED Tape	POOL LED			
(222)	CREEK		LED Tape	CREEK A			
(223)	CREEK		LED Tape	CREEK B			
(224)	CREEK		LED Tape	CREEK C			
(225)	CREEK		LED Tape	CREEK D			
(226)	CREEK		LED Tape	CREEK E			
(227)	CREEK		LED Tape	CREEK F			
(301)	CROSS PIPE A	1	High End SolaSpot Pro CMY 480w	MOVING LIGHT			
(302)	CROSS PIPE B	1	High End SolaSpot Pro CMY 480w	MOVING LIGHT			
(303)	#1 LX	4	High End SolaSpot Pro CMY 480w	MOVING LIGHT			
(304)	CROSS PIPE C	1	High End Systems Sola Wash LED 37 660w	MOVING LIGHT			
(305)	CROSS PIPE D	1	High End Systems Sola Wash LED 37 660w	MOVING LIGHT			
(400)	SR SPOT PLAT		Profusion Hazer 360w	Hazer			
(401)	USL DECK BEHIND MASKING		High End Systems FQ-100 1.5kW	FOGGER			
	CROSS CAT 3	1	ETC Source4 50deg 575w	TREE	● R 74		
(402)	CATWALK 4A	6	ETC Source4 50deg 575w	TREE	● R 74		

Channel Hookup

9/22/2019

12O Update 0922.lw6

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
(403)	CATWALK 3B	7	ETC Source4 50deg 575w	TREE	 R 34		
(404)	CATWALK 4A	5	ETC Source4 50deg 575w	TREE	 R 34		

Channel Hookup

LETTERED Channel

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
(Cha)		1	Alt 360Q 6x12+Light Acc 6.25in Top Hat 750w	Label Legend Key	<input type="radio"/> Access ory	Unu	

Channel Hookup

Items WITHOUT Channel

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
			500w				
			"				
			ETC Source4 19deg 575w				
			"				
			"	SIDE L			
			"	SIDE I			
			"	SIDE F			
			"	SIDE C			
			"	SIDE J			
			"	SIDE G			
			"	SIDE D			
			"	SIDE A			
			"				
			ETC ColorSource PAR Medium Oval 90w				
			"				
			"				
			"				
			"				
			"				
			"				
			ETC CE Source4 PAR MCM (MFL) 575w				
			"				
			"				
			"				
			"				
			"				

Channel Hookup

Items WITHOUT Channel

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
			ETC CE Source4 PAR MCM (MFL) 575w				
			"				
			"				
			Strand 6in Fres 750w				
			ETC Source4 36deg 575w				
			"				
			"				
			"				
			"				
			"				
			"				
			"				
			"				
			"				
			"				
			"				
			ETC Source4 26deg 575w				
			"				
			"				
			"				
			"				
			"				
			"				
			"				
			"				
			"				

Channel Hookup

Items WITHOUT Channel

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
			ETC Source4 26deg 575w				
			"				
			"	SCENIC GOBO SL	T:R 71041		
			"	SCENIC GOBO	"		
			"	SCENIC GOBO SL	"		
			"	SCENIC GOBO	"		
			"				
			ETC Source4 50deg 575w				
			"				
			"				
			"				
			"				
			"				
			"				
			"				
			"				
			Altman PAR 64 MFL 1kW				
			"				
			Strand 6" Fresnelite 500w	SL AISLE BACK			
			"	SR AISLE BACK			
			ETC ColorSource PAR Wide Oval 90w				
			"				

Channel Hookup

Items WITHOUT Channel

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Ad
			High End Systems Sola Wash LED 37 660w				
			High End SolaSpot Pro CMY 480w				













TABLE OF CONTENTS

MOON	1	SL PIPE	11
#2 LX	2	CATWALK 5A	12
CATWALK 3A	3	FOH LADDER SR	12
CATWALK 4A	3	FOH LADDER SL	12
CATWALK 3B	4	CATWALK 2B	13
CATWALK 4B	5	CATWALK 1B	13
#3 LX	6	SR SPOT PLAT	13
#1 LX	7	CROSS PIPE D	13
CATWALK 6B	8	CROSS PIPE C	13
CATWALK 5B	9	CROSS PIPE A	14
FOH PIPE	10	CROSS PIPE B	14
CATWALK 6A	10	CROSS CAT 3	14
USL DECK BEHIND MASKING	10	DECK	14
SR PIPE	11	CREEK	14





MOON

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
	Moon	15ft LED Tape			(200)		
	Moon Outer Edge	LED Neon			(201)		
	Moon Inner Edge	LED Neon			(202)		









#2 LX

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	HSX SL 17	ETC Source4 26deg	575w	 R 362 + R 132	(37)		
2	HSX SL 18	ETC Source4 26deg	575w	 R 362 + R 132	(38)		
3	HSX SL 19	ETC Source4 26deg	575w	 R 362 + R 132	(39)		
4	DOWN 17	ETC CE Source4 PAR MCM (MFL)	575w	 R 68	(100)		
5	HSX SL 20	ETC Source4 26deg	575w	 R 362 + R 132	(40)		
6	BACK J	ETC ColorSource PAR Medium Oval	90w		(157)		
7	DOWN 18	ETC Source4 50deg+Light Acc S4B Template Holder	575w	 R 360, T: R 77735	(87)		
8	DOWN N	ETC CE Source4 PAR MCM (MFL)	575w	 R 68	(101)		
9	BACK L	ETC ColorSource PAR Medium Oval	90w		(158)		
10	HSX SR 17	ETC Source4 26deg	575w	 R 362 + R 132	(17)		
11	DOWN 20	ETC CE Source4 PAR MCM (MFL)	575w	 R 68	(102)		
12	HSX SR 18	ETC Source4 26deg	575w	 R 362 + R 132	(18)		
13	HSX SR 19	ETC Source4 26deg	575w	 R 362 + R 132	(19)		
14	HSX SR 20	ETC Source4 26deg	575w	 R 362 + R 132	(20)		








CATWALK 3A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	HSX SR 1	ETC Source4 26deg	575w	 R 362 + R 132	(1)		
2	SR AISLE FRONT 24	ETC Source4 26deg	575w	 R 362 + R 132	(115)		
3	HSX SR 2	ETC Source4 26deg	575w	 R 362 + R 132	(2)		
4	HSX SR 4	ETC Source4 26deg	575w	 R 362 + R 132	(4)		
















CATWALK 4A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	HSX 2 SL A	ETC Source4 36deg	575w	 R 05	(71)		
2	HSX 2 SL B	ETC Source4 36deg	575w	 R 05	(72)		
3	HSX 2 SL C	ETC Source4 36deg	575w	 R 05	(73)		
4	BACK A	ETC ColorSource PAR Medium Oval	90w		(151)		
5	TREE	ETC Source4 50deg	575w	 R 34	(404)		
6	TREE	ETC Source4 50deg	575w	 R 74	(402)		
7	HSX 2 SR A	ETC Source4 36deg	575w	 R 05	(61)		
8	HSX 2 SR B	ETC Source4 36deg	575w	 R 05	(62)		
9	HSX 2 SR C	ETC Source4 36deg	575w	 R 05	(63)		











CATWALK 3B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	HSX SL 1	ETC Source4 26deg	575w	 R 362 + R 132	(21)		
2	HSX SL 2	ETC Source4 26deg	575w	 R 362 + R 132	(22)		
3	HSX SL 3	ETC Source4 26deg	575w	 R 362 + R 132	(23)		
4	FRONT 9	ETC Source4 26deg	575w	 R 65	(49)		
5	HSX SL 4	ETC Source4 26deg	575w	 R 362 + R 132	(24)		10
6	FRONT 10	ETC Source4 26deg	575w	 R 65	(50)		
7	TREE	ETC Source4 50deg	575w	 R 34	(403)		




CATWALK 4B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	HSX SL 5	ETC Source4 26deg	575w	 R 362 + R 132	(25)		
2	HSX SL 6	ETC Source4 26deg	575w	 R 362 + R 132	(26)		
3	HSX SL 7	ETC Source4 26deg	575w	 R 362 + R 132	(27)		
4	DOWN 5	ETC CE Source4 PAR MCM (MFL)	575w	 R 68	(91)		
5	HSX SL 8	ETC Source4 26deg	575w	 R 362 + R 132	(28)		
6	DOWN 2	ETC Source4 50deg+Light Acc S4B Template Holder	575w	 R 360, T: R 77735	(81)		
7	DOWN E	ETC CE Source4 PAR MCM (MFL)	575w	 R 68	(92)		
8	FRONT 11	ETC Source4 26deg	575w	 R 65	(51)		
9	DOWN 3	ETC Source4 50deg+Light Acc S4B Template Holder	575w	 R 360, T: R 77735	(82)		
10	BACK C	ETC ColorSource PAR Medium Oval	90w		(152)		
11	HSX SR 5	ETC Source4 26deg	575w	 R 362 + R 132	(5)		
12	DOWN 8	ETC CE Source4 PAR MCM (MFL)	575w	 R 68	(93)		
13	FRONT 12	ETC Source4 26deg	575w	 R 65	(52)		
14	HSX SR 6	ETC Source4 26deg	575w	 R 362 + R 132	(6)		
15	HSX SR 7	ETC Source4 26deg	575w	 R 362 + R 132	(7)		
16	HSX SR 8	ETC Source4 26deg	575w	 R 362 + R 132	(8)		















#3 LX

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	BACK M	ETC ColorSource PAR Wide Oval	90w		(160)		
2	Moon Red	Altman PAR 64 MFL	1kW	 R 26 + R 119	(161)		
3	Moon Green	Altman PAR 64 MFL	1kW	 R 91 + R 119	(162)		
4	Moon Blue	Altman PAR 64 MFL	1kW	 R 80 + R 119	(163)		
5	Moon Red	Altman PAR 64 MFL	1kW	 R 26 + R 119	(161)		
6	Moon Green	Altman PAR 64 MFL	1kW	 R 91 + R 119	(162)		
7	Moon Blue	Altman PAR 64 MFL	1kW	 R 80 + R 119	(163)		
8	DOWN O	ETC Source4 50deg+Light Acc S4B Template Holder	575w	 R 360, T: R 77735	(88)		
9	BACK O	ETC ColorSource PAR Medium Oval	90w		(159)		
10	BACK ANGLE 14	ETC Source4 36deg	575w	 R 77	(147)		
11	BACK ANGLE 11	ETC Source4 36deg	575w	 R 77	(146)		
12	BACK ANGLE 8	ETC Source4 36deg	575w	 R 77	(145)		










#1 LX

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	BACK ANGLE 5	ETC Source4 36deg	575w	 R 34	(141)		
2	BACK ANGLE 10	ETC Source4 36deg	575w	 R 34	(142)		
3	BACK ANGLE 15	ETC Source4 36deg	575w	 R 34	(143)		
4	MOVING LIGHT	High End SolaSpot Pro CMY	480w		(303)		





CATWALK 6B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	HSX SL 13	ETC Source4 26deg	575w	 R 362 + R 132	(33)		
2	HSX SL 14	ETC Source4 26deg	575w	 R 362 + R 132	(34)		
3	HSX SL 15	ETC Source4 26deg	575w	 R 362 + R 132	(35)		
4	FRONT US	ETC Source4 26deg	575w	 R 65	(53)		
5	DOWN 13	ETC CE Source4 PAR MCM (MFL)	575w	 R 68	(97)		
6	HSX SL 16	ETC Source4 26deg	575w	 R 362 + R 132	(36)		
7	FRONT US	ETC Source4 26deg	575w	 R 65	(54)		
8	DOWN 14	ETC Source4 50deg+Light Acc S4B Template Holder	575w	 R 360, T: R 77735	(85)		
9	DOWN K	ETC CE Source4 PAR MCM (MFL)	575w	 R 68	(98)		
10	FRONT US	ETC Source4 26deg	575w	 R 65	(55)		
11	DOWN 15	ETC Source4 50deg+Light Acc S4B Template Holder	575w	 R 360, T: R 77735	(86)		
12	HSX SR 13	ETC Source4 26deg	575w	 R 362 + R 132	(13)		
13	DOWN 16	ETC CE Source4 PAR MCM (MFL)	575w	 R 68	(99)		
14	FRONT US	ETC Source4 26deg	575w	 R 65	(56)		
15	HSX SR 14	ETC Source4 26deg	575w	 R 362 + R 132	(14)		
16	HSX SR 15	ETC Source4 26deg	575w	 R 362 + R 132	(15)		
17	HSX SR 16	ETC Source4 26deg	575w	 R 362 + R 132	(16)		










CATWALK 5B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	HSX SL 9	ETC Source4 26deg	575w	 R 362 + R 132	(29)		
2	HSX SL 10	ETC Source4 26deg	575w	 R 362 + R 132	(30)		
3	HSX SL 11	ETC Source4 26deg	575w	 R 362 + R 132	(31)		
4	DOWN 9	ETC CE Source4 PAR MCM (MFL)	575w	 R 68	(94)		
5	HSX SL 12	ETC Source4 26deg	575w	 R 362 + R 132	(32)		
6	DOWN 10	ETC Source4 50deg+Light Acc S4B Template Holder	575w	 R 360, T: R 77735	(83)		
7	DOWN 11	ETC Source4 50deg+Light Acc S4B Template Holder	575w	 R 360, T: R 77735	(84)		
8	HSX SR 9	ETC Source4 26deg	575w	 R 362 + R 132	(9)		
9	DOWN 12	ETC CE Source4 PAR MCM (MFL)	575w	 R 68	(96)		
10	HSX SR 10	ETC Source4 26deg	575w	 R 362 + R 132	(10)		
11	HSX SR 11	ETC Source4 26deg	575w	 R 362 + R 132	(11)		
12	HSX SR 12	ETC Source4 26deg	575w	 R 362 + R 132	(12)		

FOH PIPE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	FRONT FILL	ETC Source4 26deg+Light Acc 6.25in Top Hat	575w	 R 362 + R 132	(131)		
2	FRONT FILL	ETC Source4 26deg+Light Acc 6.25in Top Hat	575w	 R 362 + R 132	(132)		
3	FRONT FILL	ETC Source4 26deg+Light Acc 6.25in Top Hat	575w	 R 362 + R 132	(133)		
4	FRONT FILL	ETC Source4 26deg+Light Acc 6.25in Top Hat	575w	 R 362 + R 132	(134)		





CATWALK 6A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	HSX 2 SL G	ETC Source4 36deg	575w	 R 05	(77)		
2	HSX 2 SL H	ETC Source4 36deg	575w	 R 05	(78)		
3	HSX 2 SL I	ETC Source4 36deg	575w	 R 05	(79)		
4	BACK G	ETC ColorSource PAR Medium Oval	90w		(155)		
5	SR AISLE FRONT 23	ETC Source4 26deg	575w	 R 362 + R 132	(116)		
6	DOWN H	ETC CE Source4 PAR MCM (MFL)	575w	 R 68	(95)		
7	SL AISLE FRONT 21	ETC Source4 26deg	575w	 R 362 + R 132	(112)		
8	BACK I	ETC ColorSource PAR Medium Oval	90w		(156)		
9	HSX 2 SR G	ETC Source4 36deg	575w	 R 05	(67)		
10	HSX 2 SR H	ETC Source4 36deg	575w	 R 05	(68)		
11	HSX 2 SR I	ETC Source4 36deg	575w	 R 05	(69)		





USL DECK BEHIND MASKING

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
	FOGGER	High End Systems FQ-100	1.5kW		(401)		








SR PIPE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	SIDE L	ETC Source4 19deg+Light Acc 6.25in Top Hat	575w	 R 362 + R 132	(128)		
2	SIDE I	ETC Source4 19deg+Light Acc 6.25in Top Hat	575w	 R 362 + R 132	(127)		
3	SIDE F	ETC Source4 19deg+Light Acc 6.25in Top Hat	575w	 R 362 + R 132	(126)		
4	SIDE C	ETC Source4 19deg+Light Acc 6.25in Top Hat	575w	 R 362 + R 132	(125)		


SL PIPE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	SIDE J	ETC Source4 19deg+Light Acc 6.25in Top Hat	575w	 R 362 + R 132	(124)		
2	SIDE G	ETC Source4 19deg+Light Acc 6.25in Top Hat	575w	 R 362 + R 132	(123)		
3	SIDE D	ETC Source4 19deg+Light Acc 6.25in Top Hat	575w	 R 362 + R 132	(122)		
4	SIDE A	ETC Source4 19deg+Light Acc 6.25in Top Hat	575w	 R 362 + R 132	(121)		


CATWALK 5A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	HSX 2 SL D	ETC Source4 36deg	575w	 R 05	(74)		
2	HSX 2 SL E	ETC Source4 36deg	575w	 R 05	(75)		
3	HSX 2 SL F	ETC Source4 36deg	575w	 R 05	(76)		
4	SL AISLE FRONT 22	ETC Source4 26deg	575w	 R 362 + R 132	(111)		
5	BACK D	ETC ColorSource PAR Medium Oval	90w		(153)		
6	BACK F	ETC ColorSource PAR Medium Oval	90w		(154)		
7	HSX 2 SR D	ETC Source4 36deg	575w	 R 05	(64)		
8	HSX 2 SR E	ETC Source4 36deg	575w	 R 05	(65)		
9	HSX 2 SR F	ETC Source4 36deg	575w	 R 05	(66)		






FOH LADDER SR

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	SR AISLE BACK 23/24	Strand 6" Fresnelite	500w	 R 65	(117)		





FOH LADDER SL

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	SL AISLE BACK 21/22	Strand 6" Fresnelite	500w	 R 65	(113)		

CATWALK 2B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	FRONT 5	ETC Source4 26deg	575w	 R 65	(45)		
2	FRONT 6	ETC Source4 26deg	575w	 R 65	(46)		
3	FRONT 7	ETC Source4 26deg	575w	 R 65	(47)		
4	FRONT 8	ETC Source4 26deg	575w	 R 65	(48)		
5	HSX SR 3	ETC Source4 26deg	575w	 R 362 + R 132	(3)		

CATWALK 1B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	FRONT 1	ETC Source4 26deg	575w	 R 65	(41)		
2	FRONT 2	ETC Source4 26deg	575w	 R 65	(42)		
3	FRONT 3	ETC Source4 26deg	575w	 R 65	(43)		
4	FRONT 4	ETC Source4 26deg	575w	 R 65	(44)		

SR SPOT PLAT

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
	Hazer	Profusion Hazer	360w		(400)		

CROSS PIPE D

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	MOVING LIGHT	High End Systems Sola Wash LED 37	660w		(305)		

CROSS PIPE C

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	MOVING LIGHT	High End Systems Sola Wash LED 37	660w		(304)		


CROSS PIPE A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	MOVING LIGHT	High End SolaSpot Pro CMY	480w		(301)		

CROSS PIPE B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	MOVING LIGHT	High End SolaSpot Pro CMY	480w		(302)		

CROSS CAT 3

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
1	TREE	ETC Source4 50deg	575w	 R 74	(401)		

DECK

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
	EDGE E	LED Tape			(215)		
	EDGE D	LED Tape			(214)		
	EDGE C	LED Tape			(213)		
	EDGE B	LED Tape			(212)		
	EDGE A	LED Tape			(211)		

CREEK

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dim
	CREEK F	LED Tape			(227)		
	CREEK E	LED Tape			(226)		
	CREEK D	LED Tape			(225)		
	CREEK C	LED Tape			(224)		
	CREEK A	LED Tape			(222)		
	CREEK B	LED Tape			(223)		
	POOL LED	LED Tape			(221)		